



# YACHTLINE 2013



340



TUBE COLOR



Bow rail



Storage with navigation lights holder



TUBE COLOR



Comfortable front seats



Large back seat



# YACHTLINE

The Zodiac® YACHTLINE series has been specifically designed to complement your Yacht.

The Zodiac® Yachtline focuses on convenience. The bow teak step, combined with the teak covered rear steps, facilitate hassle-free boarding. This ease of boarding, coupled with a newly designed, mooring-friendly bow rail, make the Zodiac® Yachtline the premiere yacht tender on the market.

In order to occupy as little space as possible on your boat, Zodiac® Yachtlines feature a compact design. However, interior seating was not compromised in the Yachtline series, and every Yachtline features comfortable seating for all passengers.

Conveniently located spacious lockers provide valuable storage space.

The three new tube colours (grey, camel and marine blue) provide the opportunity to harmonize your tender with your boat. These new tubes are made of Hypalon™ - Néoprène™ fabric, which provides better resistance to UV radiation and abrasion. In addition, tubes are easily removed for maintenance and repair.

Aside from tendering duties, the Yachtline can also suit your recreational activities (waterskiing, tubing, etc). Yachtlines feature great sea-keeping qualities, and plane quickly as a result of their patented Zodiac® integrated trim flaps.



# + POINTS

- New bow rail with teak covered step to provide safe boarding at the bow + LED lights
- New teak covered lateral steps providing safe boarding at the stern of the boat
- New tube design with three colour options (grey, camel, marine blue)
- Integral flaps facilitating quick planing of the boat (Zodiac® patent)
- Removable Hypalon™-Néoprène™ buoyancy tubes
- Integral fuel tank
- Easy access to storage locker



420



TUBE COLOR



Lateral steps



Bow rail



470



TUBE COLOR



Lateral steps



Shower

## EQUIPMENT

### HULL

- V-shaped fiberglass hull with built-in flaps (deep V on 470)
- Moulded non-skid deck
- Anchor locker with upholstered seat
- Rear locker with gas strut
- Lateral locker (420/470)
- 1 bow D-ring
- 2 stern rings
- 1 self-bailer

### BUOYANCY TUBE

- Hypalon™-Neoprene™ fabric
- Choice of tube set colour (medium grey / marine blue / camel)
- Removable tube system
- Semi-recessed Easy Push valves

- Large profile rubbing strake
- Reinforced cone ends
- Interior handles (6 on 340, 8 on 380 / 420 / 470)
- 35 litres / 9.2 US gal (340 / 380)
- 57 litres / 15 US gal (420)
- 85 litres / 22.5 US gal (470)

### STANDARD EQUIPMENT

- Stainless steel bow rail
- Teak covered rear boarding steps
- Steering console with:
  - Steering wheel
  - + steering system
  - + cable
  - 3 breakers
  - Glove box
- Built-in fuel tank
  - + gauge
  - + fuel/water separator
- Recess for extinguisher
- Double pilot/co-pilot seat with removable upholstered seat (340 / 380 / 420 / 470)
- Passenger seats with removable upholstered cushion
- 4 stainless steel mooring cleats
- 3 lifting points
- Courtesy light
- Navigation lights
- 12-volt plug (470)
- Battery switch
- Battery box
- Automatic bilge pump

- 2 paddles
- Foot pump
- Pressure gauge
- Repair kit
- Owner's manual

### MAIN OPTIONAL ACCESSORIES

- Lifting sling kit
- Overall cover (made of Sunbrella+® fabric)
- Shower kit with 26 litres / 6.8 US gal (470)
- Picnic table (470)
- Ski mast (420 / 470)
- Side bathing ladder
- Synthetic teak deck

## TECHNICAL SPECIFICATIONS



	340	380	420	470
<b>DIMENSIONS (metres - feet/inches)</b>				
Overall length	3,4 - 11'2"	3,8 - 12'6"	4,2 - 13'9"	4,7 - 15'5"
Inside length	2 - 6'7"	2,4 - 7'11"	2,8 - 9'2"	2,98 - 9'9"
Overall width	1,77 - 5'10"	1,77 - 5'10"	1,86 - 6'1"	2,05 - 6'9"
Inside width	0,86 - 2'10"	0,86 - 2'10"	0,94 - 3'1"	1,05 - 3'5"
Buoyancy tube diameter	0,455 - 1'6"	0,455 - 1'6"	0,455 - 1'6"	0,5 - 1'8"
<b>CAPACITY</b>				
Passengers (ISO)	4	5	6	9
Maximum payload <sup>1</sup> (kg - lbs)	605 - 1333,8	735 - 1620,4	850 - 1873,9	945 - 2083,4
Total weight (kg - lbs)	193 - 425,5	218 - 480,6	273 - 601,9	390 - 859,8
Airtight compartments	3	3	3	5
<b>DESIGN CATEGORY</b>				
European directive N° 94/25/CE	C	C	C	C
<b>OUTBOARD DATA</b>				
Shaft: ■ long	■	■	■	■
Minimum recommended power <sup>2</sup> (Hp)	15	20	30	50
Minimum recommended power <sup>2</sup> (kW)	12	15	23	38
Maximum recommended power <sup>2</sup> (Hp)	30	30	50	70
Maximum recommended power <sup>2</sup> (kW)	23	23	38	53
Maximum power allowed <sup>3</sup> (Hp)	30	40	50	90
Maximum power allowed <sup>3</sup> (kW)	23	30	38	68
Maximum weight of outboard <sup>4</sup> (kg - lbs)	100 - 220,5	110 - 242,5	120 - 264,6	170 - 374,8
Maximum speed <sup>5</sup> (km/h - mph)	48 - 29,8	54 - 33,6	60 - 37,3	68 - 42,3
<b>HULL STORAGE DIMENSIONS (metres - feet/inches)</b>				
Length	3,18 - 10'5"	3,58 - 11'9"	3,98 - 13'1"	4,34 - 14'3"
Width	1,11 - 3'8"	1,11 - 3'8"	1,25 - 4'1"	1,38 - 4'6"
Height	0,96 - 3'2"	0,96 - 3'2"	1,03 - 3'5"	1,14 - 3'9"
Hull angle	18°	18°	18°	21,5°

Indicated measurements may vary by +/- 3%, or +/- 5% for weight and speed measurements.

(1) Maximum permitted load is calculated using ISO standards. Caution is advised when operating fully laden boats. (2) Recommended power is based on optimal use of the boat's abilities under average load. Depending on use, choose either maximum (waterskiing) or minimum power (fishing, cruising). (3) The manufacturer's plaque specifies maximum permitted power. The power of your boat must not exceed this under any circumstances. (4) Maximum permitted weight: dry weight, according to motor manufacturers' catalogue specifications. (5) Maximum speeds are intended as a guide only; they were measured in ideal conditions by professional pilots with one person aboard. They may vary according to make of motor, boat load, propeller type and water conditions. (6) Models in this catalogue are sometimes shown with optional accessories. Please check standard equipment supplied with each model and see your reseller for any additional equipment. The availability of certain models, as well as certain equipment details may vary from country to country (e.g. USA, Canada). The boats photographed in this catalogue may have undergone changes. Zodiac® continually strives to improve the quality of its products and as such reserves the right to modify or delete any model presented in this catalogue without prior notice. Zodiac® recommends to wear life jacket at all times; it is your own responsibility to check the legal obligations on your navigation zone.

This document may refer to trademarks belonging to other Companies. Such references are for identification only, and are not intended to be an endorsement. In a permanent concern of improvement of its products, Zodiac® reserve the right to modify or improve the conception or definition of its products at any time, without any prior notification and no retroactive effect on the boats built previously. This document cannot be considered as a contractual document. Non contractual pictures. Attitudes and behaviours of the persons aboard the boats must not be considered as an example.



\* 5 year warranty on tube fabric and 2 year warranty on hull and tube assembling. Some warranty extensions are available depending on product and geographical areas. For more information

please contact your local dealer or visit [zodiacmarine.com](http://zodiacmarine.com)

[www.zodiacmarine.com](http://www.zodiacmarine.com)

Zodiac® is a registered trade mark - Copyright© Zodiac® 2013

## YACHTLINE

La gama Zodiac® YACHTLINE, complemento natural de yates, se ha revisado para satisfacer mejor sus expectativas y adaptarse, todavía más, a su embarcación.

Esta nueva edición apuesta por el confort. El nuevo balcón, seguro y práctico para el amarre, y los nuevos peldaños laterales traseros de teca, facilitan el abordaje.

La disposición de la YACHTLINE está estudiada para que todos los pasajeros viajen cómodamente sentados, manteniendo un perfil reducido en su embarcación. La amplia abertura del tambucho de popa permite acceder fácilmente al equipamiento almacenado.

Tres nuevos colores para los flotadores, (gris, camel o azul marino) le permitirán conjuntar el anexo con su yate. Estos nuevos flotadores, de tejido Hypalon™-Neopreno™, ofrecen mayor resistencia a los rayos UV y a la abrasión, y son totalmente extraíbles para facilitar su mantenimiento.

La YACHTLINE se adapta también a sus aficiones (esquí náutico, navegación deportiva, etc.). Reconocida por sus cualidades marineras, planea rápidamente gracias a unos flaps integrados, patentados por Zodiac®. Su depósito integrado le proporciona una gran autonomía.

### YACHTLINE 340

Dimensiones (m - fi)		Capacidad	
Eslora total	3.40 - 11'2"	Nº de personas (ISO)	4
Eslora interior	2.00 - 6'7"	Carga máx. autorizada (C) (en kg - lbs)	605 - 1334
Manga total	1.77 - 5'10"	Carga máx. autorizada (B) (en kg - lbs)	-
Manga interior	0.86 - 2'10"	Peso total (en kg - lbs)	193 - 425
Diámetro del flotador	0.46 - 1'6"	Compartimientos estancos	3
Dimensiones (m - fi)		Motor	
Longitud casco	3.18 - 10'5"	Eje	Largo
Anchura casco	1.11 - 3'8"	Potencia mín. recomendada (en CV - kW)	15 - 12
Altura casco	0.96 - 3'2"	Potencia máx. recomendada (en CV - kW)	30 - 23
Ángulo de carena (°)	18.0	Potencia máx. autorizada (en CV - kW)	30 - 23
		Velocidad máxima (en km/h - mph)	48 - 30

### YACHTLINE 380

Dimensiones (m - fi)		Capacidad	
Eslora total	3.80 - 12'6"	Nº de personas (ISO)	5
Eslora interior	2.40 - 7'10"	Carga máx. autorizada (C) (en kg - lbs)	735 - 1620
Manga total	1.77 - 5'10"	Carga máx. autorizada (B) (en kg - lbs)	-
Manga interior	0.86 - 2'10"	Peso total (en kg - lbs)	218 - 481
Diámetro del flotador	0.46 - 1'6"	Compartimientos estancos	3
Dimensiones (m - fi)		Motor	
Longitud casco	3.58 - 11'9"	Eje	Largo
Anchura casco	1.11 - 3'8"	Potencia mín. recomendada (en CV - kW)	20 - 15
Altura casco	0.96 - 3'2"	Potencia máx. recomendada (en CV - kW)	30 - 23
Ángulo de carena (°)	18.0	Potencia máx. autorizada (en CV - kW)	40 - 30
		Velocidad máxima (en km/h - mph)	54 - 34



## YACHTLINE 420

Dimensiones (m - fi)		Capacidad	
Eslora total	4.20 - 13'9"	Nº de personas (ISO)	6
Eslora interior	2.80 - 9'2"	Carga máx. autorizada (C) (en kg - lbs)	850 - 1874
Manga total	1.86 - 6'1"	Carga máx. autorizada (B) (en kg - lbs)	-
Manga interior	0.94 - 3'1"	Peso total (en kg - lbs)	273 - 602
Diámetro del flotador	0.46 - 1'6"	Compartimientos estancos	3

Dimensiones (m - fi)		Motor	
Longitud casco	3.98 - 13'1"	Eje	Largo
Anchura casco	1.25 - 4'1"	Potencia mín. recomendada (en CV - kW)	30 - 23
Altura casco	1.03 - 3'5"	Potencia máx. recomendada (en CV - kW)	50 - 38
Ángulo de carena (°)	18.0	Potencia máx. autorizada (en CV - kW)	50 - 38
		Velocidad máxima (en km/h - mph)	60 - 37

## YACHTLINE 470

Dimensiones (m - fi)		Capacidad	
Eslora total	4.70 - 15'5"	Nº de personas (ISO)	9
Eslora interior	2.98 - 9'9"	Carga máx. autorizada (C) (en kg - lbs)	945 - 2083
Manga total	2.05 - 6'9"	Carga máx. autorizada (B) (en kg - lbs)	-
Manga interior	1.05 - 3'5"	Peso total (en kg - lbs)	390 - 860
Diámetro del flotador	0.50 - 1'8"	Compartimientos estancos	5

Dimensiones (m - fi)		Motor	
Longitud casco	4.34 - 14'3"	Eje	Largo
Anchura casco	1.38 - 4'6"	Potencia mín. recomendada (en CV - kW)	50 - 38
Altura casco	1.14 - 3'9"	Potencia máx. recomendada (en CV - kW)	70 - 53
Ángulo de carena (°)	21.5	Potencia máx. autorizada (en CV - kW)	90 - 68
		Velocidad máxima (en km/h - mph)	68 - 42

### Casco

- Casco de poliéster en V profunda con flaps integrados (V profunda en la 470)
- Cubierta contramoldeada antideslizante
- Cofre de fondeo con cojines
- Tambucho de popa con resorte hidráulico
- 1 anilla de amarre
- 2 anillas de estiba en popa
- 1 desagüe

### Flotador

- Tejido Hypalon™-Neopreno™
- Opción de 3 colores (gris/azul marino/camel)
- Flotador extraíble
- Válvulas Easy Push
- Defensa ancha
- Conos reforzados
- 8 Asas interiores

### Tejidos

Hypalon

### Equipamiento de serie

- Balcón de proa inox
- Peldaños de embarque laterales
- Consola con:
  - Volante + caja + cable de dirección

- 3 interruptores
- Guanteras
- Depósito de combustible integrado + aforador + filtro separador de agua/combustible : 85 litros / 22.5 US gal
- Soporte para extintor
- Asiento doble piloto-copiloto con cojines extraíbles
- Asientos de pasajeros con cojines extraíbles
- 4 cornamusas inox.
- 3 puntos de izado
- Luces de cubierta
- Luces de navegación
- Desconectador batería
- Caja batería
- Bomba de achique automática
- 2 pagayas
- Inflador de pie
- Tapón manómetro
- Maletín de reparaciones
- Manual del propietario

### **Accesorios opcionales :**

- Kit de eslingas de izado
- Lona de fondeo
- Solárium
- Kit de ducha con depósito de agua dulce de 26 litros
- Mesa de picnic
- Mástil de esquí
- Escalera de baño lateral
- Cubierta de teca sintética
- Pasteca guía cabos